



MEDICAL COVERAGE POLICY

SERVICE: Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia

Policy Number: 228

Effective Date: 03/01/2024

Last Review: 01/02/2024

Next Review: 01/02/2025

Important note: Unless otherwise indicated, medical policies will apply to all lines of business. Medical necessity as defined by this policy does not ensure the benefit is covered. This medical policy does not replace existing federal or state rules and regulations for the applicable service or supply. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan documents. See the member plan specific benefit plan document for a complete description of plan benefits, exclusions, limitations, and conditions of coverage. In the event of a discrepancy, the plan document always supersedes the information in this policy.

SERVICE: Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia

PRIOR AUTHORIZATION: Not required.

POLICY: Please review the plan’s EOC (Evidence of Coverage) or Summary Plan Description (SPD) for details.

Note: Unless otherwise indicated (see below), this policy will apply to all lines of business.

For Medicare plans, please refer to appropriate Medicare NCD (National Coverage Determination) or LCD (Local Coverage Determination). Medicare NCD or LCD specific InterQual criteria may be used when available. Although a non-Texas specific LCD exists, please use the criteria set forth below.

For Medicaid plans, please confirm coverage as outlined in the [Texas Medicaid Provider Procedures Manual | TMHP](#) (TMPPM). If there are no applicable criteria to guide medical necessity decision making in the TMPPM, use the criteria set forth below.

BSWHP may consider Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia medically necessary when the following criteria are met:

1. member is age 18 years or older
2. member has achalasia type III based on testing
3. member has dysphagia by history

Peroral endoscopic myotomy (POEM) for ANY other indication is considered experimental, investigational and unproven.

BACKGROUND:

Peroral endoscopic myotomy (POEM) is a less invasive alternative to laparoscopic myotomy for treatment of esophageal achalasia. POEM is a natural orifice transmural endoscopic surgery (NOTES) technique. The technique involves passing an endoscope through the esophagus, making a tunnel for access to the lower esophagus and cutting the muscle fibers in the lower esophagus and proximal stomach.



MEDICAL COVERAGE POLICY

SERVICE: Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia

Policy Number: 228

Effective Date: 03/01/2024

Last Review: 01/02/2024

Next Review: 01/02/2025

The American Gastroenterological Association (AGA) recommends POEM be considered as a primary therapy for type III achalasia and comparable to laparoscopic Heller myotomy for any of the achalasia syndromes.

American Society for Gastrointestinal Endoscopy: POEM is the preferred treatment for management of patients with type III achalasia; POEM and laparoscopic Heller myotomy are comparable treatment options for management of patients with achalasia types I and II, and the treatment option should be based on shared decision-making between the patient and provider.

The current version of UpToDate review on “Overview of the Treatment of Achalasia” (Spechler, 2021) states that “good results for POEM have been reported in patients with achalasia conditions that often do not respond well to conventional therapies, such as type III (spastic) achalasia and “end-stage” achalasia (markedly dilated, sigmoid esophagus), and in patients who have failed prior endoscopic and surgical achalasia treatments. The role of POEM in the treatment of achalasia continues to evolve, although there is a consensus that POEM is the procedure of choice for the treatment of type III achalasia. It has been suggested that patients undergoing POEM should be counseled regarding the increased risk of post-procedure reflux compared with other treatments.”

MANDATES: None

CODES:

Important note:

Due to the wide range of applicable diagnosis codes and potential changes to codes, an inclusive list may not be presented, but the following codes may apply. Inclusion of a code in this section does not guarantee that it will be reimbursed, and patient must meet the criteria set forth in the policy language.

CPT Codes:	43497 - Lower esophageal myotomy, transoral (ie, peroral endoscopic myotomy)
CPT Not Covered:	
ICD10 codes:	
ICD10 Not covered:	K22.0 Achalasia of cardia

POLICY HISTORY:

Status	Date	Action
New	01/31/2017	New policy
Reviewed	01/23/2018	No changes
Reviewed	01/15/2019	No changes
Reviewed	01/23/2020	No changes
Reviewed	01/28/2021	No changes



MEDICAL COVERAGE POLICY

SERVICE: Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia

Policy Number: 228

Effective Date: 03/01/2024

Last Review: 01/02/2024

Next Review: 01/02/2025

Updated	01/27/2022	Change status to POEM - may now be medically necessary
Reviewed	01/26/2023	No changes
Reviewed	01/02/2024	No change criteria. Clarified to use this policy for all LOBs, except Medicaid if TMPPM has guidance. Formatting changes, added hyperlink to TMPPM, beginning and ending note sections updated to align with CMS requirements and business entity changes

REFERENCES:

The following scientific references were utilized in the formulation of this medical policy. BSWHP will continue to review clinical evidence related to this policy and may modify it at a later date based upon the evolution of the published clinical evidence. Should additional scientific studies become available, and they are not included in the list, please forward the reference(s) to BSWHP so the information can be reviewed by the Medical Coverage Policy Committee (MCPC) and the Quality Improvement Committee (QIC) to determine if a modification of the policy is in order.

1. ASGE Standards of Practice Committee, Pasha SF, Acosta RD, et al. The role of endoscopy in the evaluation and management of dysphagia. *Gastrointest Endosc.* 2014;79(2):191-201.
2. Barbieri LA, Hassan C, Rosati R, Romario UF, Correale L, Repici A. Systematic review and meta-analysis: efficacy and safety of POEM for achalasia. *United European Gastroenterol J.* 2015;3(4):325-334.
3. Bhayani NH, Kurian AA, Dunst CM, Sharata AM, Rieder E, Swanstrom LL. A comparative study on comprehensive, objective outcomes of laparoscopic Heller myotomy with per-oral endoscopic myotomy (POEM) for achalasia. *Ann Surg.* 2014;259(6):1098-1103.
4. Chen X, Li QP, Ji GZ, et al. Two-year follow-up for 45 patients with achalasia who underwent peroral endoscopic myotomy. *Eur J Cardiothorac Surg.* 2015;47(5):890-896.
5. Fisichella PM, Ferreres A, Patti MG. Peroral endoscopic myotomy for achalasia. *JAMA Surg.* 2015;150(8):806807.
6. Friedel D, Modayil R, Stavropoulos SN. Per-oral endoscopic myotomy: major advance in achalasia treatment and in endoscopic surgery. *World J Gastroenterol.* 2014;20(47):17746-17755.
7. Grimes KL, Inoue H, Onimaru M, et al. Double-scope per oral endoscopic myotomy (POEM): a prospective randomized controlled trial. *Surg Endosc.* 2015. Epub ahead of print. July 15, 2015. Available at: <http://link.springer.com/article/10.1007%2Fs00464-015-4396-2>. Accessed December 22, 2015.
8. Hoppo T, Thakkar SJ, Schumacher LY, et al. A utility of peroral endoscopic myotomy (POEM) across the spectrum of esophageal motility disorders. *Surg Endosc.* 2015. Epub ahead of print. April 7, 2015. Available at: <http://link.springer.com/article/10.1007%2Fs00464-015-4193-y>. Accessed December 22, 2015.
9. Hu JW, Li QL, Zhou PH, et al. Peroral endoscopic myotomy for advanced achalasia with sigmoid-shaped esophagus: long-term outcomes from a prospective, single-center study. *Surg Endosc.* 2015;29(9):2841-2850.
10. Hungness ES, Teitelbaum EN, Santos BF, et al. Comparison of perioperative outcomes between peroral esophageal myotomy (POEM) and laparoscopic Heller myotomy. *J Gastrointest Surg.* 2013;17(2):228-235.
11. Imperiale TF, O'Connor JB, Vaezi MF, Richter JE. A cost-minimization analysis of alternative treatment strategies for achalasia. *Am J Gastroenterol.* 2000;95(10):2737-2745.
12. Inoue H, Sato H, Ikeda H, et al. Per-oral endoscopic myotomy: a series of 500 patients. *J Am Coll Surg.* 2015;221(2):256-264.
13. Jones R, Junghard O, Dent J, et al. Development of the GerdQ, a tool for the diagnosis and management of gastro-oesophageal reflux disease in primary care. *Aliment Pharmacol Ther.* 2009;30(10):1030-1038.
14. Jones EL, Meara MP, Schwartz JS, Hazey JW, Perry KA. Gastroesophageal reflux symptoms do not correlate with objective pH

MEDICAL COVERAGE POLICY

SERVICE: Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia

Policy Number: 228

Effective Date: 03/01/2024

Last Review: 01/02/2024

Next Review: 01/02/2025

testing after peroral endoscopic myotomy. *Surg Endosc.* 2015. Epub ahead of print. June 27, 2015. Available at: <http://link.springer.com/article/10.1007%2Fs00464-015-4321-8>. Accessed December 22, 2015.

15. Kumagai K, Tsai JA, Thorell A, Lundell L, Håkanson B. Per-oral endoscopic myotomy for achalasia. Are results comparable to laparoscopic Heller myotomy? *Scand J Gastroenterol.* 2015;50(5):505-512.
16. Li QL, Chen WF, Zhou PH, et al. Peroral endoscopic myotomy for the treatment of achalasia: a clinical comparative study of endoscopic full-thickness and circular muscle myotomy. *J Am Coll Surg.* 2013;217(3):442-451.
17. Ling TS, Guo HM, Yang T, Peng CY, Zou XP, Shi RH. Effectiveness of peroral endoscopic myotomy in the treatment of achalasia: a pilot trial in Chinese Han population with a minimum of one-year follow-up. *J Dig Dis.* 2014;15(7):352-358.
18. Liu XJ, Tan YY, Yang RQ, et al. The outcomes and quality of life of patients with achalasia after peroral endoscopic myotomy in the short-term. *Ann Thorac Cardiovasc Surg.* 2015;20(21(6)):507-512.
19. Meara MP, Perry KA, Hazey JW. Economic impact of per oral endoscopic myotomy versus laparoscopic Heller myotomy and endoscopic pneumatic dilation [poster]. 2014. Society of American Gastrointestinal and Endoscopic Surgeons [website]. Available at: <http://www.sages.org/meetings/annual-meeting/abstracts-archive/economic-impact-of-per-oral-endoscopic-myotomy-versus-laparoscopic-heller-myotomy-and-endoscopic-pneumatic-dilation>
20. Moawad FJ, Wong RK. Modern management of achalasia. *Curr Opin Gastroenterol.* 2010;26(4):384-388.
21. National Institute for Health and Care Excellence (NICE). NICE Guidance >> Peroral endoscopic myotomy (POEM) for achalasia. 2015. Available at: <https://www.nice.org.uk/guidance/indevelopment/gid-ip1229>. Accessed December 22, 2015.
22. O'Neill OM, Johnston BT, Coleman HG. Achalasia: a review of clinical diagnosis, epidemiology, treatment and outcomes. *World J Gastroenterol.* 2013;19(35):5806-5812.
23. Orenstein SB, Raigani S, Wu YV, et al. Peroral endoscopic myotomy (POEM) leads to similar results in patients with and without prior endoscopic or surgical therapy. *Surg Endosc.* 2015;29(5):1064-1070.
24. Patel K, Abbassi-Ghadi N, Markar S, Kumar S, Jethwa P, Zaninotto G. Peroral endoscopic myotomy for the treatment of esophageal achalasia: systematic review and pooled analysis. *Dis Esophagus.* 2015b. Epub ahead of print. July 14, 2015. Available at: <http://onlinelibrary.wiley.com/doi/10.1111/dote.12387/abstract;jsessionid=799802636CF87C2B9CB9239A0D9C8F45.f04t01>. Accessed December 22, 2015.
25. Society of Thoracic Surgeons. Achalasia and Esophageal Motility Disorders. 2015. Available at: <http://www.sts.org/patient-information/esophageal-surgery/achalasia-and-esophageal-motility-disorders>.
26. Stefanidis D, Richardson W, Farrell TM, Kohn GP, Augenstein V, Fanelli RD. Guidelines for the Surgical Treatment of Esophageal Achalasia. Society of American Gastrointestinal and Endoscopic Surgeons [website]. 2011. Available at: <http://www.sages.org/publications/guidelines/guidelines-for-the-surgical-treatment-of-esophageal-achalasia/>. Accessed December 22, 2015.
27. Talukdar R, Inoue H, Nageshwar Reddy D. Efficacy of peroral endoscopic myotomy (POEM) in the treatment of achalasia: a systematic review and meta-analysis. *Surg Endosc.* 2015;29(11):3030-3046
28. Tang X, Gong W, Deng Z, et al. Comparison of conventional versus Hybrid knife peroral endoscopic myotomy methods for esophageal achalasia: a case-control study. *Scand J Gastroenterol.* 2015:1-7.
29. Ujiki MB, Yetasook AK, Zapf M, Linn JG, Carbray JM, Denham W. Peroral endoscopic myotomy: A short-term comparison with the standard laparoscopic approach. *Surgery.* 2013;154(4):893-897.
30. Vaezi MF, Pandolfino JE, Vela MF. ACG clinical guideline: diagnosis and management of achalasia. *Am J Gastroenterol.* 2013;108(8):1238-1249.
31. Wei M, Yang T, Yang X, Wang Z, Zhou Z. Peroral esophageal myotomy versus laparoscopic Heller's myotomy for achalasia: a meta-analysis. *J Laparoendosc Adv Surg Tech A.* 2015;25(2):123-129.
32. Yang S, Zeng MS, Zhang ZY, Zhang HL, Liang L, Zhang XW. Pneumomediastinum and pneumoperitoneum on computed tomography after peroral endoscopic myotomy (POEM): postoperative changes or complications? *Acta Radiol.* 2015;56(10):1216-1221.
33. Patel K, Abbassi-Ghadi N, Markar S, Kumar S, Jethwa P, Zaninotto G. Peroral endoscopic myotomy for the treatment of esophageal achalasia: systematic review and pooled analysis. *Dis Esophagus.* 2016 Oct;29(7):807-819.



MEDICAL COVERAGE POLICY

SERVICE: Peroral Endoscopic Myotomy (POEM) for Esophageal Achalasia

Policy Number: 228

Effective Date: 03/01/2024

Last Review: 01/02/2024

Next Review: 01/02/2025

Note:

Health Maintenance Organization (HMO) products are offered through Scott and White Health Plan dba Baylor Scott & White Health Plan, and Scott & White Care Plans dba Baylor Scott & White Care Plan. Insured PPO and EPO products are offered through Baylor Scott & White Insurance Company. Scott and White Health Plan dba Baylor Scott & White Health Plan serves as a third-party administrator for self-funded employer-sponsored plans. Baylor Scott & White Care Plan and Baylor Scott & White Insurance Company are wholly owned subsidiaries of Scott and White Health Plan. These companies are referred to collectively in this document as Baylor Scott & White Health Plan.

RightCare STAR Medicaid plans are offered through Scott and White Health Plan in the Central Managed Care Service Area (MRSA) and STAR and CHIP plans are offered through SHA LLC dba FirstCare Health Plans (FirstCare) in the Lubbock and West MRSAs.