

## CDC Recommendations for COVID Immunization

### Adults

#### Ages 19–64 years old

- **Unvaccinated:**
  - 1 dose 2024–25 Moderna or Pfizer-BioNTech
  - 2 doses 2024–25 Novavax at 0, 3–8 weeks
- **Previously vaccinated before 2024–25 vaccine with:**
  - **1 or more doses Moderna or Pfizer-BioNTech:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech at least 8 weeks after the most recent dose.
  - **1 dose Novavax:** 1 dose 2024–25 Novavax 3–8 weeks after most recent dose. If more than 8 weeks after most recent dose, administer 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech.
  - **2 or more doses Novavax:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech at least 8 weeks after the most recent dose.
  - **1 or more doses Janssen:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech.

#### Age 65 years old and older

- **Unvaccinated:** follow recommendations above for unvaccinated persons ages 19–64 years **and** administer dose 2 of 2024–25 Moderna or Novavax or Pfizer-BioNTech 6 months later (minimum interval 2 months).
- **Previously vaccinated before 2024–25 vaccine:** follow recommendations above for previously vaccinated persons ages 19–64 years **and** administer dose 2 of 2024–25 Moderna or Novavax or Pfizer-BioNTech 6 months later (minimum interval 2 months).

Unvaccinated persons have never received any COVID-19 vaccine doses. There is no preferential recommendation for the use of one COVID-19 vaccine over another when more than one recommended age-appropriate vaccine is available. Administer an age-appropriate COVID-19 vaccine product for each dose.

## **Children**

### **Ages 6 month–17 years old who are NOT moderately or severely immunocompromised.**

Shared clinical decision-making vaccinations are individually based and informed by a decision process between the health care provider and the patient or parent/guardian.

Where the parent presents with a desire for their child to be vaccinated, children 6 months and older may receive COVID-19 vaccination, informed by the clinical judgment of a healthcare provider and personal preference and

circumstances. <https://www.cdc.gov/acip/vaccine-recommendations/shared-clinical-decision-making.html>

### **Age 6 months–4 years old**

*All vaccine doses should be from the same manufacturer.*

- **Unvaccinated:**
  - 2 doses 2024–25 Moderna at 0, 4–8 weeks
  - 3 doses 2024–25 Pfizer-BioNTech at 0, 3–8, and at least 8 weeks after dose 2
- **Incomplete initial vaccination series before 2024–25 vaccine with:**
  - **1 dose Moderna:** complete initial series with 1 dose 2024–25 Moderna 4–8 weeks after most recent dose
  - **1 dose Pfizer-BioNTech:** complete initial series with 2 doses 2024–25 Pfizer-BioNTech 8 weeks apart (administer dose 1 3–8 weeks after most recent dose).
  - **2 doses Pfizer-BioNTech:** complete initial series with 1 dose 2024–25 Pfizer-BioNTech at least 8 weeks after the most recent dose.
- **Completed initial vaccination series before 2024–25 vaccine with:**
  - **2 or more doses Moderna:** 1 dose 2024–25 Moderna at least 8 weeks after the most recent dose.
  - **3 or more doses Pfizer-BioNTech:** 1 dose 2024–25 Pfizer-BioNTech at least 8 weeks after the most recent dose.

### **Age 5–11 years old**

- **Unvaccinated:** 1 dose 2024–25 Moderna or Pfizer-BioNTech

- **Previously vaccinated before 2024–25 vaccine with 1 or more doses Moderna or Pfizer-BioNTech:** 1 dose 2024–25 Moderna or Pfizer-BioNTech at least 8 weeks after the most recent dose.

#### **Age 12–17 years old**

- **Unvaccinated:**
  - 1 dose 2024–25 Moderna or Pfizer-BioNTech
  - 2 doses 2024–25 Novavax at 0, 3–8 weeks
- **Previously vaccinated before 2024–25 vaccine with:**
  - **1 or more doses Moderna or Pfizer-BioNTech:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech at least 8 weeks after the most recent dose.
  - **1 dose Novavax:** 1 dose 2024–25 Novavax 3–8 weeks after most recent dose. If more than 8 weeks after most recent dose, administer 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech.
  - **2 or more doses Novavax:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech at least 8 weeks after the most recent dose.

#### **Age 18 years old who are NOT moderately or severely immunocompromised**

- **Unvaccinated:**
  - 1 dose 2024–25 Moderna or Pfizer-BioNTech
  - 2 doses 2024–25 Novavax at 0, 3–8 weeks
- **Previously vaccinated before 2024–25 vaccine with:**
  - **1 or more doses Moderna or Pfizer-BioNTech:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech at least 8 weeks after the most recent dose.
  - **1 dose Novavax:** 1 dose 2024–25 Novavax 3–8 weeks after most recent dose. If more than 8 weeks after most recent dose, administer 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech.
  - **2 or more doses Novavax:** 1 dose 2024–25 Moderna or Novavax or Pfizer-BioNTech at least 8 weeks after the most recent dose.